VOL. 756, NOS. 1 + 2 JOURNAL OF CHROMATOGRAPHY A 20 DECEMBER 1996

# CONTENTS

*(Abstracts/Contents Lists published in Analytical Abstracts, Biochemical Abstracts, Biological Abstracts, Chemical Abstracts, Chemical Titles, Chromatography Abstracts, Current Awareness in Biological Sciences (CABS), Current Contents/Life Sciences, Current Contents/Physical, Chemical & Earth Sciences, Deep-Sea Research/Part B: Oceanographic Literature Review, Excerpta Medica, Index Medicus, Mass Spectrometry Bulletin, PASCAL-CNRS, Referativnyi Zhurnal, Research Alert and Science Citation Index)*

## REVIEW

Degradative polymer analysis by chromatography
by J.K. Haken (Kensington, Australia) and P.I. Iddamalgoda (Colombo, Sri Lanka) (Received 22 May 1996) . . . . . 1

## REGULAR PAPERS

*Column Liquid Chromatography*

Combined use of temperature and solvent strength in reversed-phase gradient elution. I. Predicting separation as a function of temperature and gradient conditions
by P.L. Zhu, L.R. Snyder and J.W. Dolan (Walnut Creek, CA, USA), N.M. Djordjevic (Basle, Switzerland), D.W. Hill (Storrs, CT, USA), L.C. Sander (Gaithersburg, MD, USA) and T.J. Waeghe (Wilmington, DE, USA) (Received 17 July 1996) . . . . . 21

Combined use of temperature and solvent strength in reversed-phase gradient elution. II. Comparing selectivity for different samples and systems
by P.L. Zhu, J.W. Dolan and L.R. Snyder (Walnut Creek, CA, USA) (Received 17 July 1996) . . . . . 41

Combined use of temperature and solvent strength in reversed-phase gradient elution. III. Selectivity for ionizable samples as a function of sample type and pH
by P.L. Zhu, J.W. Dolan and L.R. Snyder (Walnut Creek, CA, USA), D.W. Hill (Storrs, CT, USA), L. Van Heukelem (Cambridge, MD, USA) and T.J. Waeghe (Wilmington, DE, USA) (Received 17 July 1996) . . . . . 51

Combined use of temperature and solvent strength in reversed-phase gradient elution. IV. Selectivity for neutral (non-ionized) samples as a function of sample type and other separation conditions
by P.L. Zhu, J.W. Dolan and L.R. Snyder (Walnut Creek, CA, USA), N.M. Djordjevic (Basle, Switzerland), D.W. Hill (Storrs, CT, USA), J.-T. Lin (Albany, CA, USA), L.C. Sander (Gaithersburg, MD, USA) and L. Van Heukelem (Cambridge, MD, USA) (Received 17 July 1996) . . . . . 63

Modified Rouchon and Rouchon-like algorithms for solving different models of multicomponent preparative chromatography
by K. Kaczmarski and D. Antos (Rzeszów, Poland) (Received 12 June 1996) . . . . . 73

Ruggedness testing of a size-exclusion chromatographic assay for low-molecular-mass polymers
by Y. Vander Heyden, C. Hartmann and D.L. Massart (Brussel, Belgium) and A.M.J. Hollands, P. Nuyten and P. Schoenmakers (Amsterdam, The Netherlands) (Received 23 July 1996) . . . . . 89

Effects of fused tryptophan rich peptides to a recombinant protein A domain on the partitioning in polyethylene glycol–dextran and Ucon–dextran aqueous two-phase systems
by M. Carlsson, K. Berggren and P. Linse (Lund, Sweden), A. Veide (Stockholm, Sweden) and F. Tjerneld (Lund, Sweden) (Received 24 June 1996) . . . . . 107

Enantiomeric separations of halogen-substituted 2-aryloxypropionic acids by high-performance liquid chromatography on a terguride-based chiral stationary phase
by P. Padiglioni, C.M. Polcaro, S. Marchese and M. Sinibaldi (Rome, Italy) and M. Flieger (Prague, Czech Republic) (Received 10 July 1996) . . . . . 119

Determination of hydroxycinnamic acids, hydroxybenzoic acids, hydroxybenzaldehydes, hydroxybenzyl alcohols and their glucosides by high-performance liquid chromatography
by O. Negishi and T. Ozawa (Ibaraki, Japan) (Received 9 July 1996) . . . . . 129

*(Continued overleaf)*

*Contents (continued)*

Liquid chromatographic separation of the alkaloids in coptis–evodia herb couple
by C.-Y. Chu and S.-J. Sheu (Taipei, Taiwan) (Received 4 July 1996) . . . . . 137

Identification of herbicides in river water using on-line trace enrichment combined with column liquid chromatography–Fourier-transform infrared spectrometry
by G.W. Somsen, I. Jagt, C. Gooijer, N.H. Velthorst and U.A.Th. Brinkman (Amsterdam, Netherlands) and T. Visser (Bilthoven, Netherlands) (Received 16 July 1996) . . . . . 145

High-performance liquid chromatographic–fluorescence determination of aliphatic alcohol polyethoxylates and poly(ethylene glycol)s in aqueous samples
by M. Zanette and A. Marcomini (Venezia, Italy) and E. Marchiori and R. Samperi (Rome, Italy) (Received 1 April 1996) . . . 159

*Gas Chromatography*

Optimization of temperature-programmed gas chromatographic separations. II. Off-line Simplex optimization and column selection
by H. Snijders, H.-G. Janssen and C. Cramers (Eindhoven, Netherlands) (Received 9 July 1996) . . . . . 175

Lesser alkaloids of cocaine-bearing plants. III. 2-Carbomethoxy-3-oxo substituted tropane esters: detection and gas chromatographic–mass spectrometric characterization of new minor alkaloids found in South American *Erythroxylum coca* var. *coca*
by J.F. Casale and J.M. Moore (McLean, VA, USA) (Received 17 June 1996) . . . . . 185

Comparative determination of total isomeric truxillines in illicit, refined, South American cocaine hydrochloride using capillary gas chromatography–electron capture detection
by J.M. Moore, J.F. Casale and D.A. Cooper (McLean, VA, USA) (Received 18 June 1996) . . . . . 193

$^{13}C$ Isotopic analysis of an acetaminophen and diacetylmorphine mixture
by S. Dautraix, R. Guilluy, H. Chaudron-Thozet, J.L. Brazier and A. Lamotte (Lyon cedex, France) (Received 25 June 1996) . 203

*Planar Chromatography*

Determination of saturated and unsaturated oligogalacturonic acids by means of thin-layer chromatography
by G. Dongowski (Bergholz-Rehbrücke, Germany) (Received 11 July 1996) . . . . . 211

*Electrophoresis*

Characterization and impact of the temporal behavior of the electroosmotic flow in capillary isoelectric focusing with electroosmotic zone displacement
by L. Steinmann (Bern, Switzerland), R.A. Mosher (Tucson, AZ, USA) and W. Thormann (Bern, Switzerland) (Received 4 July 1996) . . . . . 219

Adsorption of proteins to fused-silica capillaries as probed by atomic force microscopy
by J.J. Bonvent, R. Barberi, R. Bartolino and L. Capelli (Arcavacata di Rende, Italy) and P.G. Righetti (Arcavacata di Rende and Verona, Italy) (Received 10 July 1996) . . . . . 233

Preparation of linear polyacrylamide gel step gradients for capillary electrophoresis
by C.-C. Wang and S.C. Beale (Birmingham, AL, USA) (Received 9 July 1996) . . . . . 245

Performance of a series of novel N-substituted acrylamides in capillary electrophoresis of DNA fragments
by E. Simò-Alfonso (Burjassot, Spain), C. Gelfi and M. Lucisano (Milano, Italy) and P.G. Righetti (Arcavacata di Rende, Italy) (Received 12 July 1996) . . . . . 255

Application of spherical and other polymers in capillary zone electrophoresis: separation of antiviral drugs and deoxyribonucleoside phosphates by different principles
by R. Singhal, J. Xian and O. Otim (Wichita, KS, USA) (Received 13 June 1996) . . . . . 263

Migration behaviour of benzodiazepines in micellar electrokinetic chromatography
by S. Boonkerd, M.R. Detaevernier, J. Vindevogel and Y. Michotte (Brussels, Belgium) (Received 11 July 1996) . . . . . 279

SHORT COMMUNICATIONS

*Column Liquid Chromagography*

Isolation of cardenolides from a Brazilian cultivar of *Digitalis lanata* by rotation locular counter-current chromatography
by F. Castro Braga (Belo Horizonte, Brazil), W. Kreis (Erlangen, Germany) and A. Braga de Oliveira (Belo Horizonte, Brazil) (Received 16 July 1996) . . . . . 287

*Contents (continued)*

High-performance liquid chromatography–hydride generation–atomic fluorescence spectroscopic determination of arsenic species in water
by Z. Mester and P. Fodor (Budapest, Hungary) (Received 5 July 1996) . . . . . 292

*Electrophoresis*

Advanced possibilities on multi-element separation and detection of metal ions by capillary zone electrophoresis using precapillary complexation. I. Separation aspects
by A.R. Timerbaev and O.P. Semonova (Linz, Austria) and J.S. Fritz (Ames, IA, USA) (Received 11 July 1996) . . . . . 300

BOOK REVIEWS

Biotechnology and Biopharmaceutical Manufacturing, Processing, and Preservation (by K.E. Avis and V.L. Wu) reviewed by G. Guiochon (Knoxville, TN, USA) . . . . . 307

Applications of LC–MS in Environmental Chemistry (by D. Barceló) reviewed by A.C. Hogenboom (Amsterdam, The Netherlands) . 309

Capillary Gas Chromatography (by D.W. Grant) reviewed by J. Janák (Brno, Czech Republic) . . . . . 311

AUTHOR INDEX VOL. 756 . . . . . 313